









	A	B	C	D
mm	230	150	6.5	23.5
in	9.1	5.9	0.25	0.92




TOP ACTUATION KIT



Cod. 211743



ESPESSURA MÍNIMA DE PAREDE | MINIMUM WALL THICKNESS | SPESSORE MINIMO DELLA PARETE | ESPESOR MÍNIMO DE PARED | ÉPAISSEUR MINIMALE DU MUR | MINDESTWANDSTÄRKE | MINSTE VEGGTYKKELSE






OLI70 PLUS	OLI74 PLUS	OLI120 PLUS	QUADRA PLUS	QUADRA PRO	EXPERT PLUS	EXPERT PLUS	OLI180
							
0 mm	0 mm	10 mm	10 mm	20 mm	0 mm	0 mm	0 mm
0 inch	0 inch	0.39 inch	0.39 inch	0.78 inch	0 inch	0 inch	0 inch

FRONT


i

OLI74 PLUS . QUADRA PLUS . EXPERT PLUS . OLI80




2

x2 x2





1





3

x2




x2




	A		B	
OLI70 PLUS OLI74 PLUS EXPERT PLUS OLI80	10 mm	0.39"	40 mm	1.57"
OLI120 PLUS	15 mm	0.59"	40 mm	1.57"
QUADRA PLUS	15 mm	0.59"	25 mm	0.98"
QUADRA PRO	40 mm	1.57"	35 mm	1.38"


1





2



2




3



TOP









TOP ACTUATION KIT





Cod. 211743


TOP




5




6




7






8




9





10



11

