







	A	B	C
mm	230	150	6.5
in	9.1	5.9	0.25




TOP ACTUATION KIT



Cod. 211743







ESPESSURA MÍNIMA DE PAREDE | MINIMUM WALL THICKNESS | SPESSORE MINIMO DELLA PARETE | ESPESOR MÍNIMO DE PARED | ÉPAISSEUR MINIMALE DU MUR | MINDESTWANDSTÄRKE | MINSTE VEGGTYKKELSE



OLI70 PLUS	OLI74 PLUS	OLI120 PLUS	QUADRA PLUS	EXPERT PLUS	EXPERT PLUS	OLI80
						
0 mm	0 mm	10 mm	5 mm	0 mm	0 mm	0 mm
0 inch	0 inch	0.39 inch	0.19 inch	0 inch	0 inch	0 inch

FRONT




	A		B	
OLI70 PLUS/ OLI74 PLUS	30 mm	1.18"	70 mm	2.75"
EXPERT PLUS - FRONT	30 mm	1.18"	70 mm	2.75"
QUADRA PLUS	40 mm	1.57"	55 mm	2.16"
OLI120 PLUS	40 mm	1.57"	80 mm	3.14"

TOP




TOP ACTUATION KIT





Cod. 211743


1



2





3





4









x2





x2




TOP




5




6




7






8




9





10



11

